


Town of Irricana
Box 100
Irricana, AB T0M 1B0
Ph. 403-935-4672 Fax 403-935-4270

DECKS, GUARDRAILS, HANDRAILS, STAIRS INFORMATION SHEET



BASIC CODE INFORMATION:

4	One de cook elemente de la decima ele
1.	Grade:2% slope for drainage
2.	Deck height from grade: Specify ()
3.	Floor decking: Specify ()
4.	Height of guard from deck
	36" (for 2' to 6' deck height above grade)
	42" (for 6' over deck height above grade)
5.	2"x10" End joist (or same size of floor joist)
	Others: ()
6.	3-2"x10" Built up beam
	Others: ()
7.	6"x6" wood post anchored to the concrete pile
	Others: (
8.	12" Diameter x 12' deep concrete pile @ 6'-6"
	o/c recommended.
	Others: ()
9.	2"x10" floor joist @16" o/c.
	Others: ()
10.	4" max space between railings.
11.	Guardrail: Specify ()
12.	Railings: Specify ()

- 14. Stair handrail 32" to 38" height measured vertically from the stair nosing. Handrail is required if stairs have more than 3 risers. Handrails on bothside of the stair are required if stair width is 44" or greater.

- Run: 8-1/4" to 14"
 18. 4" thk concrete pad (option
- 18. 4" thk concrete pad (optional)
- 19. Joist span: Specify (_____
- 20. Existing house.

Note:

The above information does not cover all relevant requirements of the Alberta Building Code. The details shown in the drawings are guidelines for your reference and information only. You may use other options provided the work complies with the code. If you have any question or need assistance please free to call.

13. 34" minimum stair width